


## PROFESSIONAL INVOLVEMENT CHART

### Professional Seal Requirements of the Alberta Building Code 2014

**Assembly, Detention, Treatment, or Care Occupancies  
(Group A & B)**




**Residential Occupancies  
(Group C)**

Multi-family dwelling with max 4 units  
OR single-family dwelling

Seals/Stamps not required  
2.4.2.1(3b)

Hotel/Motel or similar



5-20 unit Apartment or similar

Architect or Engineer  
2.4.2.1(4a)

>20 unit Apartment or similar OR  
apartment with more than three storeys

Architect and Engineer  
2.4.2.1(5)

THIS FLOWCHART HAS BEEN PUBLISHED AS PUBLIC SERVICE. IT IS NOT INTENDED TO REPLACE PROFESSIONAL ENGINEERING ADVICE. REFER TO THE ALBERTA BUILDING CODE FOR FURTHER REQUIREMENTS, DETAILS, AND EXCEPTIONS. 908 ENGINEERING TAKES NO RESPONSIBILITY FOR THE CONTENT HEREIN.

REV.	DATE	DESCRIPTION
1	09 OCT 2015	UPDATED ABC(2006) REFERENCES TO ABC(2014)
0	31 JULY 2014	ISSUED FOR PUBLIC USE

# 908 Engineering

INCORPORATED

PO Box 20020 Red Deer, AB T4N 6X5  
Phone: 403.986.2939 Web: 908eng.com

PROJECT:

## PROFESSIONAL INVOLVEMENT CHART

FILE NO:

N/A

DWG NO:

# PI 1

1 OF 2

PROFESSIONAL SEAL REQUIREMENTS OF ABC 2014

DRAWN: VRW

CHECKED: COB

DATE: 09 OCT 15


## PROFESSIONAL INVOLVEMENT CHART

### Professional Seal Requirements of the Alberta Building Code 2014

**Business, Personal Services, & Mercantile Occupancies (Group D & E)**



**Industrial Occupancies (Group F)**



**Other**

Farm buildings not for public use OR Relocatable industrial camp building	Seals/Stamps not required 2.4.2.1(3e,3f)
Any building where the size or complexity may give rise to special safety concerns the authority having jurisdiction may require seals and/or stamps.	Architect or Engineer as required 2.4.2.1(9)
Any building other than described above	Architect and Engineer 2.4.2.1(5)

THIS FLOWCHART HAS BEEN PUBLISHED AS PUBLIC SERVICE. IT IS NOT INTENDED TO REPLACE PROFESSIONAL ENGINEERING ADVICE. REFER TO THE ALBERTA BUILDING CODE FOR FURTHER REQUIREMENTS, DETAILS, AND EXCEPTIONS. 908 ENGINEERING TAKES NO RESPONSIBILITY FOR THE CONTENT HEREIN.

REV.	DATE	DESCRIPTION
1	09 OCT 2015	UPDATED ABC(2006) REFERENCES TO ABC(2014)
0	30 JULY 2014	ISSUED FOR PUBLIC USE

# 908 Engineering

INCORPORATED

PO Box 20020 Red Deer, AB T4N 6X5  
Phone: 403.986.2939 Web: 908eng.com

PROJECT:

## PROFESSIONAL INVOLVEMENT CHART

FILE NO:

N/A

DWG NO:

# PI 2

PROFESSIONAL SEAL REQUIREMENTS OF ABC 2014

2 OF 2

DRAWN: VRW

CHECKED: COB

DATE: 09 OCT 15